

Package: zuericolors (via r-universe)

June 3, 2026

Title Statistik Stadt Zuerich Colors (zuericolors)

Version 1.0.0

Description zuericolors contains all colors needed by Statistik Stadt Zürich (SSZ).

URL <https://statistikstadtzuerich.github.io/zuericolors/>,
<https://github.com/StatistikStadtZuerich/zuericolors>

License MIT + file LICENSE

Encoding UTF-8

Imports ggplot2, patchwork

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.3

Suggests devtools, pkgdown, testthat (>= 3.0.0)

Config/testthat/edition 3

Repository <https://swissstatsr.r-universe.dev>

Date/Publication 2025-12-22 15:19:12 UTC

RemoteUrl <https://github.com/StatistikStadtZuerich/zuericolors>

RemoteRef HEAD

RemoteSha 520e0004f559cd66635bbece68d17d7b2086eedb

Contents

get_zuericolors	2
view_zuericolors	2

Index	4
--------------	----------

get_zuericolors *Get Zuericolors Palettes*

Description

Function to access color values of a specific zuericolors palette. To see the available palettes, call view_zuericolors().

Usage

```
get_zuericolors(palette = names(palettes), nth)
```

Arguments

palette Name of a specific palette; to see the available palettes, call view_zuericolors()
nth Position of a specific color in a palette, optional

Value

the color(s) as hex strings

Examples

```
# Get colors of palette 'qual12'  
get_zuericolors("qual12")  
  
# Get third color value of palette 'qual12'  
get_zuericolors("qual12", 3)  
  
# Get first three color values of palette 'qual12'  
get_zuericolors("qual12", 1:3)
```

view_zuericolors *View Zuericolors Palettes*

Description

Function to visually inspect values and colors of a specific zuericolors palette

Usage

```
view_zuericolors(palette)
```

Arguments

palette Name of a specific palette. if it is not provided, all palettes are plotted.

view_zuericolors

3

Value

returns a plot of the requested color/palette

Examples

```
view_zuericolors("qual12")
```

Index

`get_zuericolors`, [2](#)

`view_zuericolors`, [2](#)